



Address: No. 25, Jingwu Road, High-tech Development Zone, Anping County, Hebei Province, China

E-mail: sales@wiremeshprovider.com

Admin: admin@wiremeshprovider.com

WhatsApp: +86 19903282767

Cell: +86 18631872111

Tel: 0318-7526616



Web: www.wiremeshprovider.com

地址：河北省衡水市安平县工业园区经五路25号

电话：0318-7526616

手机：+86 18631872111

+86 19903282767

网址： www.wiremeshprovider.com

销售邮箱： sales@wiremeshprovider.com

支持邮箱： admin@wiremeshprovider.com



央哲丝网

Address: No. 25, Meridian Fifth Road, Anping Industrial Park, Hebei Province

河北央哲金属制品有限公司
Hebei Yangzhe Metal Products Company

企业简介

company profile



专业卓越



诚信为本



创新引领

河北央哲金属制品有限公司有限公司成立于2008年，属先进金属制造企业，注册资金82万美元，占地面积近15000平方米，建筑面积8000平方米。拥有各种生产设备58台(套)，年生产能力达3万吨，年出口额达2000万美元。

公司坐落于河北省衡水市安平县，近临天津港、京山铁路，交通便利。

公司主要生产太阳能板防鸟网、电焊网、五金布、铁艺制品、金属丝网、等五大类产品200多种规格。产品主要用于公路栅栏、园林及庭院装饰、建筑业、养殖业、种植业等

Truevalue等客户。方面。产品主要出口给美国的Home Depot、Wal-mart、Truevalue等客户。

公司始终奉行“精心开发、精心制造、持续改进、永远为客户提供优质的产品和满意的服务的运营宗旨并获得 ISO 9001:2000 认证。
公司渴望建立更广泛的合作关系，愿成为广大客商的忠实伙伴和朋友。

Hebei Yangzhe Metal Products Co., LTD., Ltd. was established in 2008, is an advanced metal manufacturing enterprise, with a registered capital of us \$820,000, covering an area of nearly 15,000 square meters, construction area of 8,000 square meters. With 58 sets (sets), an annual production capacity of 30,000 tons and an annual export volume of 20 million US dollars.

The company is located in Anping County, Hengshui City, Hebei Province, close to Tianjin Port, Jingshan railway, convenient transportation.

The company mainly produces solar panels anti-bird net, welding mesh, hardware cloth, iron products, metal wire mesh, and other five categories of products more than 200 specifications. The products are mainly used in highway fence, garden and courtyard decoration, construction, aquaculture, planting, etc

Truevalue And other customers.respect. The products are mainly exported to Home Depot, Wal-mart, Truevalue and other customers in the United States.

The company has always pursued the " careful development, careful manufacturing, continuous improvement, always provide customers with quality products and satisfactory service operation purposes and obtained ISO 9001:2000 certification.

The company is eager to establish a wider cooperative relationship, and is willing to become the loyal partners and friends of the majority of merchants.



27+

专注生产丝网27年

50+

专业团队50余人

太阳能板防鸟网

Solar Panel Bird Mesh

产品信息介绍

名称：防鸟网

宽度：4寸、6寸、8寸、10寸、12寸

丝径：1-1.6mm


网孔：1/2孔，1寸*1/2孔，1寸孔

材质：PVC 浸塑、热镀锌、不锈钢



太阳能电池板防鸟网是一种保护材料，它可以轻松的让鸟类远离太阳能电池板装置，从而达到防止鸟类损坏太阳能电池板并保持太阳能电池板的最佳性能的目的。因此，太阳能电池板防鸟网是一种有效而实用的解决方案。

Solar panel bird mesh is a protective material that easily keeps birds away from solar panel installations for the purpose of preventing them from damaging the solar panels and maintaining optimal performance of the solar panels. Thus, solar panel bird mesh is an effective and practical solution.



太阳能板防鸟网

Solar Panel Bird Mesh

01



PVC 材质具有耐用、耐腐蚀、抗紫外线等特点，能够在户外环境中长期使用。

This mesh is made from galvanized steel wire coated with a layer of PVC (Polyvinyl Chloride). The coating helps prevent rust and corrosion, adding extra durability while also making the mesh more flexible.

02

不锈钢防鸟网采用先进的切割、焊接等工艺，确保防鸟网的尺寸精度和网孔均匀度。

This type of mesh is made from high-quality stainless steel, offering incredible strength and long-lasting protection against birds and other pests.



03




热镀锌防鸟网通常由钢丝制成，并经过热镀锌处理。热镀锌后的材质不仅强度高，而且耐腐蚀，能够抵御风吹日晒和雨水侵蚀。

This mesh is made from galvanized steel that has been hot-dip galvanized, meaning the wire has been coated in a thick layer of zinc.

防鸟网应用图

Bird-proof Mesh application




太阳能板紧固件

Solar Panel Bird Mesh fastener

太阳能电池板防鸟网夹通常体积小、重量轻，由塑料或不锈钢等耐用材料制成。它们的设计目的是牢固地固定在太阳能电池板的边缘或框架上，而不会对电池板本身造成损坏。

Solar panel bird mesh clips are typically small, lightweight clips made from durable materials such as plastic or stainless steel. They are designed to securely attach to the edges or frames of solar panels without causing damage to the panels themselves.



跨境电商电焊网

Amazon, Ebay, Shopee, Wire Mesh



Hardware cloth 是一种金属丝网，常用于各种建筑、园艺和手工艺品。它由镀锌钢丝制成，经久耐用，防锈耐腐蚀。这些五金布主要适合国内外各大电商平台。例如，Amazon, Shopee, AliExpress, Ebay, Temu, etc.

Hardware cloth is a type of wire mesh commonly used in a variety of construction, gardening, and crafting applications. It is made from galvanized steel wire, making it durable and resistant to rust and corrosion. These hardware cloths are mainly suitable for major domestic and foreign e-commerce platforms. For example, Amazon, Shopee, AliExpress, Ebay, Temu, etc.



Amazon



AliExpress



Shopee



Ebay



Temu




Shein

电焊网

Hardware Cloth

材料: 选用优质低碳钢丝、不锈钢丝。用途: 广泛用于工业、农业、建筑、交通运输、采矿、球场、草坪、养殖等行业的围栏、装饰、机械防护等。

Material: High quality low carbon steel wire, stainless steel wire.
Application: Used in industry, agriculture, building, transportation, mine, field, lawn, cultivation, enclosure fence, decoration, machine



(标准网)30米卷宽度0.5米-1.8米 (Standard Mesh) In 30m/roll, width of 0.5m-1.8m		
网眼 Mesh		丝径 wire Gauge (BWG)
英寸 Inch	毫米 mm	
1/4"x1/4"	6.4mmX6.4mm	22,23,24
3/8"x3/8"	10.6mmX10.6mm	19,20,21,22
1/2"x1/2"	12.7mmX12.7mm	16,17,18,19,20,21,22,23
5/8"x5/8"	16mmX16mm	18,19,20,21
3/4"x3/4"	19.1mmX19.1mm	16,17,18,19,20,21
1"x1/2"	25.4mmX12.7mm	16,17,18,19,20,21
1-1/2"x1-1/2"	38mmX38mm	14,15,16,17,18,19
1"x2"	25.4mmX50.8mm	14,15,16
2"x2"	50.8mmX50.8mm	22,23,24
1/4"x1/4"	6.4mmX6.4mm	12,13,14,15,16

(电焊围栏网)30米卷宽度0.5米-1.8米 (Welded Fence Mesh) In 30m roll, width of 0.5m-1.8m		
网眼 Mesh		丝径 wire Gauge (BWG)
英寸 Inch	毫米 mm	
2"x3"	50mmx70mm	2.0mm,2.5mm,1.65mm
3"x3"	75mmx75mm	2.67mm,2.41mm,2.11mm,1.83mm,1.65mm
2"x4"	50mmx100mm	2.11mm,2.5mm
4"x4"	100mmx100mm	2.0mm,2.5mm

(PVC涂层电焊网)30米卷 宽度0.5米-1.2米 (PVC-coated Welded Mesh) In 30m roll, width of 0.5m-1.2m		
网眼 Mesh		丝径 wire Gauge (BWG)
英寸 Inch	毫米 mm	
1/2"x1/2"	12.7mmx12.7mm	16,17,18,19,20,21
3/4"x3/4"	19mmx19mm	16,17,18,19,20,21
1"x1"	25.4mmx25.4mm	15,16,17,18,19,20

刺绳

BARBED WIRE

带刺铁丝围栏是一种围栏，由铁丝组成，沿长度方向每隔一段距离就有一个锋利的倒刺。它被广泛用于各种用途，主要是阻止和防止未经授权的人进入或圈养牲畜。

A barbed wire fence is a type of perimeter fencing composed of strands of wire with sharp barbs spaced at intervals along its length. It's widely used for various purposes, primarily to deter and prevent unauthorized entry or to contain livestock, house, plantation of fencing, grass boundary, railway, highway and so on.



丝号 Gauge of Strand and Barb in B.W.G	刺距 Approximate Length per Coil in Meter			
	Barbs Spacing 3"	Barbs Spacing 4"	Barbs Spacing 5"	Barbs Spacing 6"
12x12	6.0617	6.7590	7.2700	7.6376
12x14	7.3335	7.8051	8.3015	8.5741
12-1/2 x12-1/2	6.9223	7.7190	8.3022	8.7221
14-1/2x14	8.1096	8.814	9.2242	9.5620
13x13	7.9808	8.899	9.5721	10.0553
13 x 14	8.8448	9.6899	10.2923	10.7146
13-1/2x14	9.6079	10.6134	11.4705	11.8553
14x14	10.4569	11.6890	12.5423	13.1752
14-1/2x14-1/2	11.9875	13.3671	14.3781	15.1034
15x15	13.8927	15.4942	16.6666	17.5070
15-1/2x15-1/2	15.3491	17.1144	18.4060	19.3886

刀片刺绳

RAZOR WIRE

刀片刺绳是一种由锋利的金属刀片或金属丝制成的围栏材料，通常安装在高强度金属丝网上。其设计目的是提供一个强大的屏障，以阻止未经授权的访问并加强安全性。

Razor wire is a type of fencing material made of sharp-edged metal blades or wires, often mounted on a high-tensile wire mesh. It is designed to provide a formidable barrier to deter unauthorized access and enhance security.

Blade specification	Blade thickness	Cor.Wire diameter	Blade length	Blade width	Blade space
BTO-10	0.5±0.05	2.5±0.1	10±1	13±1	26±1
BTO-12	0.5±0.05	2.5±0.1	12±1	15±1	26±1
BTO-18	0.5±0.05	2.5±0.1	18±1	15±1	33±1
BTO-22	0.5±0.05	2.5±0.1	22±1	15±1	34±1
BTO-28	0.5±0.05	2.5	28	15	45±1
BTO-30	0.5±0.05	2.5	30	18	45±1
CBT-60	0.6±0.05	2.5±0.1	60±2	32±1	100±2
CBT-65	0.6±0.05	2.5±0.1	65±2	21±1	100±2

